

## » PSA-602.1WB

High-performance **Network Audio Amplifier** for Multi-room/Multi-Zone Applications



### Product Description

Pragmatic PSA-602.1WB is a high-performance Network Audio Amplifier with Ethernet, WiFi, Bluetooth, HDMI-ARC, USB, Optical Digital Input and Stereo audio line input. The unit can be integrated with control systems via the RS-232C connection. The system is easily controlled by simple Apps on smartphone. The unit has a stereo speaker output to drive 4 Ohms to 8 Ohms external speakers, stereo audio pre-out and a Bass output to interface with external sub-woofer.

Pragmatic PSA-602.1WB supports many popular services like Spotify, Qobuz, Tidal, AirPlay, iHeart, TuneIn, Amazon Music, vTuner, Pandora, Deezer, Roon Ready, DLNA, NAS, QQMusic, Napster, BBC Radio, Open Network Stream, Radio Paradise, internet radio, etc.

The system is easily controlled with many popular third-party Apps like WiiM, 4Stream, AudioCast, Audio System, etc. These Apps can be downloaded on a smartphone or tablet from Google Play or Apple App store.



### Applications:

- Multi-room/Multi-zone whole house audio
- Applications in homes, restaurants, hotels, offices, corporate boardrooms, etc.

### Feature & Benefits:


- Compatible with all Pragmatic PHA speakers
- Matched to In-ceiling & In-wall speakers
- Simple, elegant and powerful multi-zone system
- Energy Efficient design, easily expendable
- Built-in 6x1 Digital Audio switcher
- Zone music input from line-in, USB or Optical
- Play online music, Internet Radio, Airplay, DLNA
- Simple operation with many third party Apps



**TO PLACE an ORDER or for QUESTIONS,**  
**Email Us: [sales@pragmatic1.com](mailto:sales@pragmatic1.com) or Call Us: (408) 748-1100**

**Specifications:**

|                             |                                                                                                                                         |
|-----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| <b>Audio Input</b>          | <b>Line In</b> 2V RMS max                                                                                                               |
|                             | <b>Optical In</b> 192kHz / 24 bit sample rate decode, PCM encoding                                                                      |
|                             | <b>USB In</b> USB disk drive playback                                                                                                   |
|                             | <b>HDMI-ARC In</b> 192kHz / 24 bit sample rate decode, PCM encoding                                                                     |
| <b>Zone Audio Output</b>    | <b>Pre Out</b> 2V RMS max                                                                                                               |
|                             | <b>Bass Out</b> 2V RMS max                                                                                                              |
|                             | <b>Speaker Out</b> 60W per channel @ 4 Ohms                                                                                             |
| <b>Network Interface</b>    | <b>Ethernet In</b> RJ-45 connector                                                                                                      |
|                             | <b>WiFi/Bluetooth</b> SMA connector                                                                                                     |
| <b>Music Sources</b>        | <b>Streaming</b> Spotify Connect, Airplay, DLNA, Upnp, Qplay                                                                            |
|                             | <b>Online Music</b> Spotify, Tidal, Deezer, Qobuz, Napster, Pandora, Amazon Music, Internet Radio, iHeartRadio, vTuner, QQ Music, QQ FM |
|                             | <b>Local Music</b> Mobile device music, NAS storage music files, USB disk music files                                                   |
| <b>Remote Control</b>       | Android / iOS Apps on smartphone                                                                                                        |
|                             | RS-232C on 3.5mm jack, Control keypad / IR detector on front panel                                                                      |
| <b>Power Supply Voltage</b> | 100-230VAC, 50/60 Hz                                                                                                                    |
| <b>Dimensions (HxWxD):</b>  | 1.75" x 9" x 7.5"                                                                                                                       |
| <b>Weight:</b>              | 2.25 lbs.                                                                                                                               |



**TO PLACE AN ORDER or for QUESTIONS,**  
**Email Us: [sales@pragmatic1.com](mailto:sales@pragmatic1.com) or Call Us: (408) 748-1100**

## Hospitality Area Network Audio Streamer System with PSA-602.1WB and PHA-264B



## Office Reception area Network Audio Streamer System with PSA-602.1WB and PHA-16B



**TO PLACE an ORDER or for QUESTIONS,**  
**Email Us: [sales@pragmatic1.com](mailto:sales@pragmatic1.com) or Call Us: (408) 748-1100**



## Employee Breakroom Network Audio Streamer System with PSA-602.1WB and PHA-8B



## Meeting Room Network Audio Streamer System with PSA-602.1WB and PHA-16B



**TO PLACE an ORDER or for QUESTIONS,**  
**Email Us: [sales@pragmatic1.com](mailto:sales@pragmatic1.com) or Call Us: (408) 748-1100**